



Farmweld Gestation Stall.

Durable. Productive. Versatile.

"Many of the new construction projects and renovations for my clients over the past few years have been the Farmweld Gestation Stall. The trough limits feed waste, the door latches are secure and quick for sow movement, and the stainless steel legs and strapping are virtually maintenance free."

*— Aaron Lower, DVM
Carthage Veterinary Service*

Priority one in the gestation house is to provide a comfortable and safe environment for the sow. Maintaining sow health and keeping her eating influences reproductive performance today and in the future. Farmweld Gestation Stalls combine user-friendly design, top-grade materials and world-class workmanship to provide value, performance and reliability.

The low-back design provides workers access to the animal, making inseminating and checking sows easy and safe. Swing gates in both the front and rear of the crate make it easy to move sows in and out of the stall when the time comes. You can count on Farmweld's Gestation Stalls to stand up to the rigors of housing sows year after year.



protection, performance, durability

F A R M W E L D G E S T A T I O N S T A L L

Farmweld Gestation Stalls feature solid-rod construction for durability and longevity. For added insurance, the bottom 7" (178 mm) of the stall is stainless steel. Standard rods are 3/4" (19 mm) top rods and 5/8" (16 mm) inner rods. Upgrades are available for 7/8" (22 mm) top rods and 3/4" (19 mm) inner rods for an even heavier stall.



Select the size to best fit your needs. Stalls are available in 22" (559 mm), 23" (584 mm) or 24" (610 mm) on center and available in lengths of 7' (2.13 m) or 7' 6" (2.28 m). Other lengths are available upon request.

Provide workers with safe and easy access to the sow. Low side panels at the rear of the stall offer workers easy maneuverability and room to work. The stalls are available with or without a step-through back gate, giving artificial insemination technicians superior access to the sow without having to climb over high gates.

Swing gates at both the front and rear of the stall make it easy to move sows when needed. The non-removable drop pins ensure that the pins won't get in the way or lost.



Non-removable drop pins in the front and back gates for easy access.

To enhance stability, each stall has four galvanized, bolt-on, angle-iron top straps per stall. Each stall also comes standard with stainless steel bottom straps and legs.

Low-rise feed trough is designed for durability, and, at 3 1/2" (89 mm), the height maximizes sow comfort. Made of #304 stainless steel to resist corrosion, the feed trough won't leak and is easy to clean. Trough sizes available include: 10" (254 mm), 12" (305 mm) and 16" (407 mm). Bolt-on, galvanized feed tube includes stainless steel hardware to resist corrosion.



Contact us for more information on Farmweld Gestation Stalls, Gestation Stanchions, Breeding Gating or any of our other gestation products.